



Sicamu, Inc.  
1066 Strong Road  
Quincy, FL, 32351  
850-2706283

<b>SECTION I. IDENTIFICATION</b>	
<b>Name of the Manufacturer:</b>	<b>SICAMU Inc.</b>
<b>Commercial name:</b>	<b>POLISH SQ</b>
<b>Address:</b>	<b>Manufacturer:</b>  1066 Strong Road, Quincy, FL, 32351  Telf.: +1 (850) 270.62. 83  Fax: +1 (850) 875.45.18
<b>Type of product:</b>	Wax emulsion. Protects and brings back the original color of the paint, removes stains, repels water, gives shine and ensures a long lasting protection.

<b>SECTION II. HAZARD IDENTIFICATION</b>				
<b>Statement of hazardous nature:</b>	This material contains no ingredients, which are known to Sicamu Inc, to be hazardous unless listed below.			
	Cas Number	Ingredients	WT%	Exposure Limit
	111-84-2	No Name	<0.5	
	110-91-8	Tetrahydro-1,4oxazine	<1	20 ppm TWA;
<b>POTENTIAL HEALTH EFFECTS</b>				
<b>Eye contact:</b>	It may cause red eyes and irritation.			
<b>Skin contact:</b>	This product might cause some mild irritation on some customers, but this is rare, and it should disappear as soon as the affected area is cleansed.			
<b>Ingestion or inhalation:</b>	There is no reason for this product to be ingested, but if it occurs, it may produce gastrointestinal irritation, headaches, fatigue or fainting.			
<b>Ventilation:</b>	It's recommended to use this product in open areas or places with adequate ventilation.			



Sicamu, Inc.  
1066 Strong Road  
Quincy, FL, 32351  
850-2706283

### **SECTION III. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Name</b>	<b>Type of risk</b>	<b>I.D.L .H. (ppm)</b>	<b>T.L .V. (ppm)</b>
Petroleum distillates	Flammable	NA	300
Water	none	-	-
Wax	none	-	-
Morpholine	Flammable, corrosive	1400	20
Oleic Acid	none	-	-
Polydimethylsiloxane	none	-	-
Glycerine	none	-	-
Abrasive	none	-	-

### **SECTION IV. FIRST-AID MEASURES**

<b>Eye contact:</b>	Rinse with abundant water for several minutes. Get medical attention if irritation lasts more than 15 minutes.
<b>Skin contact:</b>	Rinse skin with soap and water. Clean clothes before using them again. Clean leather clothing with compressed air.
<b>Inhalation:</b>	No first aid required. If the user has any difficulty breathing, it's recommended to move to a well ventilated area.
<b>Ingestion:</b>	Do not induce vomit. Rinse mouth with water, and contact a physician.

### **SECTION V. FIRE-FIGHTING MEASURES**

<b>Extinguishing media:</b>	Use water, foam or carbon dioxide (CO <sub>2</sub> ).
<b>Special fire fighting procedures:</b>	Eliminate all ignition sources. Use fire extinguishers on the ignition source. If necessary use appropriate fire extinguishing gear. Avoid flow of materials to sewers.
<b>Classification of risk:</b>	


**0 = Minimal**

**1 = Low**

**2 = Moderate**

**3 = High**

**4 = Extreme**



### ***SECTION VI. ACCIDENTAL RELEASE MEASURES***

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment refer to Section VIII. For disposal refer to Section XIII. Observe the relevant local and international regulations.

Protective measures: avoid contact with skin and eyes. Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth or other appropriate barriers.

Clean up methods: slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable materials and dispose properly.

Additional advice: inform local authorities of large spills.



Sicamu, Inc.  
1066 Strong Road  
Quincy, FL, 32351  
850-2706283

**SECTION VII. HANDLING AND STORAGE**

<b>Storage temperature:</b>	Max: 49°C (120 F)	Min: 0 °C (32 F)
<b>Handling and storage:</b>	Storage in a dry, cool, ventilated area. Prevent leaks. Keep away from sparks and ignition sources. Do not inhale, ingest or squirt to the eyes. Keep out of the reach of children. Do not puncture or burn the container. Do not use on running machines. Product should not enter in contact with strong acids, strong bases or strong oxidizing agents.	

**SECTION VIII. EXPOSURES CONTROL/PERSONAL PROTECTION**

<b>Eye protection:</b>	Not required under normal circumstances. If allergies are known wear protective goggles.
<b>Skin protection:</b>	Contact should not happen, and if does it should not trigger reaction. Impermeable gloves are recommended, particularly if allergies are known.
<b>Respiration and ventilation:</b>	Ensure adequate ventilation, but product is not expected to cause any reaction.
<b>Ingestion:</b>	Product should never be ingested. If ingested do not incite vomit, prevent swallowing or sucking into lungs.
<b>Exposure limits:</b>	Not established for product as a whole



Sicamu, Inc.  
1066 Strong Road  
Quincy, FL, 32351  
850-2706283

**SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Boiling point (°C):</b>	N/A	<b>Specific weight (water =1):</b>	0.9810 gr/cc
<b>Vapor pressure (mmHg):</b>	N/A	<b>Color:</b>	Beige
<b>Vapor density (Air =1):</b>	Not applicable	<b>Odor:</b>	Solvent
<b>pH @ 100%:</b>	9.3	<b>State:</b>	Opaque Liquid
<b>Volatiles % (volume):</b>	N/D	<b>Viscosity:</b>	35 cSt
<b>Water solubility:</b>	Insoluble	<b>Pressure:</b>	Not applicable

**SECTION X. STABILITY AND REACTIVITY**

<b>Stability:</b>	Stable.
<b>Conditions to avoid:</b>	Do not expose to open flame, do not puncture. Do not squirt on flames or burning materials.
<b>Incompatibilities:</b>	Strong acids, strong bases, strong oxidizing agents.
<b>Fire decomposition:</b>	CO <sub>2</sub> , CO, Hydrocarbons.



Sicamu, Inc.  
1066 Strong Road  
Quincy, FL, 32351  
850-2706283

### **SECTION XI. TOXICOLOGICAL INFORMATION**

<b>Accute eye contact:</b>	Causes irritation.
<b>Accute and chronic skin contact:</b>	May cause irritation. For the solvents used in this product (LD50)>3160 mg/kg
<b>Accute and chronic inhalation:</b>	Causes mild irritation. No data regarding chronic inhalation.
<b>Accute and chronic ingestion:</b>	May cause irritation, gastrointestinal discomfort. For the solvents used in this product (LD 50)>15000 mg/kg
<b>Exposure limits:</b>	Not established for product as a whole

### **SECTION XII. ENVIRONMENTAL INFORMATION**

<b>Comments:</b>	Eco toxicological data has not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual components.
<b>Acute toxicity</b>	Soluble in water.
<b>Mobility</b>	Liquid under most environmental conditions.
<b>Persistency/degradability</b>	Expected to be biodegradable. Some major constituents are expected to be inherently biodegradable, the product contains components that may persist in the environment.
<b>Biodegradability</b>	Long term degradation possible, the products of degradation are less toxic than the product itself.
<b>Other adverse effects</b>	Product is a mixture of non-volatile components which are not expected to be released to air in any significant quantity. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.



Sicamu, Inc.  
1066 Strong Road  
Quincy, FL, 32351  
850-2706283

**SECTION XIII. DISPOSAL INFORMATION**

**Disposal:**

Cardboard and plastic are recyclable. Material used to contain large spills should be disposed in accordance with local laws and regulations.

**SECTION XIV. TRANSPORT INFORMATION**

**Transportation:**

Not a DOT controlled material (US) No special transport conditions are required. The product is not toxic, hazardous or dangerous. In case of road spill collect product with dirt or clay.

**SECTION XV. REGULATORY INFORMATION**

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Federal Regulatory Status

EINECS All components listed or polymer exempt.

TSCA/TSL All components listed.

Comprehensive environmental release, compensation & liability act (CERCLA)

New Jersey, Pennsylvania Right-to-Know chemical list

Water, petroleum distillates, wax emulsion, abrasive, polydimethylsiloxane, morpholine, glycerin, oleic acid, thickening agent.

**SECTION XVI. OTHER INFORMATION**

**Distributed by:**

Authorized dealers.

**Written by:**

Antonio Pons, Technical Director, VP of Operations

**Date:**

June 10, 2015

**Guarantee waiver:**

This information is accurate and reliable to the best knowledge of Sicamu Inc. No representation, warranty or guarantees are made to its accuracy, reliability or completeness. All users are encouraged to review this MSDS in the context of how to use and handle this product. Users are responsible for any interpretation and/or use of this information and of this product.

If clarification or further information is required, the user is responsible for contacting Sicamu Inc. to receive any additional information that he may require.



Sicamu, Inc.  
1066 Strong Road  
Quincy, FL, 32351  
850-2706283

Our responsibility for products sold is subject to our standard terms and conditions. A copy of which is available on request.