



Sicamu, Inc.
1066 Strong Road
Quincy, Fl, 32351
850-2706283

SECTION I. IDENTIFICATION

Name of the Manufacturer:	SICAMU Inc.
Commercial name:	SQ Outstanding Foam Spot Remover
Address:	Manufacturer: 1066 Strong Road, Quincy, Fl, 32351 Telf.: +1 (850) 270.62. 83 Fax: +1 (850) 875.45.18
Type of product:	Water based cleaning foam for spots on seats, upholstery, carpets, curtains, cotton, polyester, vinyl, leather, plastic, rubber, and many more.

SECTION II. HAZARD IDENTIFICATION

Statement of hazardous nature:	Health (NFPA): 0 Flammability (NFPA): 0 Reactivity (NFPA): 0 This material contains no ingredients, which are known to Sicamu Inc, to be hazardous unless stated below.
---------------------------------------	--

POTENTIAL HEALTH EFFECTS

Eye contact:	It may cause red eyes and irritation.
Skin contact:	Repeated exposure may cause skin dryness or cracking.
Ingestion or inhalation:	If swallowed may be aspirated and cause irritation to throat and lungs.
Ventilation:	It's recommended to use this product in open areas or places with adequate ventilation.

SECTION III. COMPOSITION/INFORMATION ON INGREDIENTS



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

Name	CAS	% Weight
Water	7732-18-5	60-100%
Decyl Glucoside	68515-73-1	1-3%
Sodium Lauroyl Sarcosinate	137-16-6	0.5-0.75
Butyl Glycol	111-76-2	1-3%
Sodium Laureth Sulfate	9004-82-4	0.3-0.7%
Cocamide DEA	68603-42-9	0.05-0.1%

SECTION IV. FIRST-AID MEASURES

Eye contact:	Rinse with abundant water for several minutes. Get medical attention if irritation lasts more than 15 minutes.
Skin contact:	Rinse skin with soap and water. Clean clothes before using them again.
Inhalation:	Remove from further exposure. If irritation, dizziness, nausea or unconsciousness occurs, seek immediate medical assistance.
Ingestion:	Rinse mouth with water, drink water. Do not induce vomit.

SECTION V. FIRE-FIGHTING MEASURES

Extinguishing media:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth only for small fires. Do not use water in a jet.
Special fire fighting procedures:	Self-contained breathing apparatus and protective clothing should be worn. Vapors are flammable and heavier than air, may travel across the ground and reach remote ignition sources causing flashback fire.
Classification of risk:	



Sicamu, Inc.
 1066 Strong Road
 Quincy, FL, 32351
 850-2706283


0 = Minimal

1 = Low

2 = Moderate

3 = High

4 = Extreme



SECTION VI. ACCIDENTAL RELEASE MEASURES

Avoid contact with spilled or released material. For guidance on selection of personal protective equipment refer to Section VIII. For disposal refer to Section XIII. Observe the relevant local and international regulations.

Protective measures: avoid contact with skin and eyes. Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth or other appropriate barriers.

Clean up methods: slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable materials and dispose properly.

Additional advice: inform local authorities of large spills.

SECTION VII. HANDLING AND STORAGE

Storage temperature:	Max: 49°C (120 F)	Min: 0 °C (32 F)
Handling and storage:	<p>Storage in a dry, cool, ventilated area.</p> <p>Prevent leaks.</p> <p>Keep away from sparks and ignition sources.</p> <p>Do not inhale, ingest or squirt to the eyes.</p> <p>Keep out of the reach of children.</p> <p>Do not puncture or burn the container.</p>	



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

	Product should not enter in contact with strong acids, strong bases or strong oxidizing agents.
--	---

SECTION VIII. EXPOSURES CONTROL/PERSONAL PROTECTION

Eye protection:	Not required under normal circumstances. Wear safety glasses if splashes are likely to occur.
Skin protection:	Contact should not happen, and if it does it should not trigger reaction. PVC, neoprene or nitrile rubber gloves are recommended if allergies are known.
Respiration and ventilation:	Ensure adequate ventilation, but product is not expected to cause any reaction.
Ingestion:	Product should never be ingested. If ingested do not incite vomit, prevent swallowing or sucking into lungs.
Exposure limits:	No biological limit allocated.

SECTION IX. PHYSICAL AND CHEMICAL PROPERTIES

Boiling point (°C):	100	Specific weight (water =1):	1.01 gr/cc
Vapor pressure (PA @ 20 C):	0	Color:	Colorless
Vapor density (Air =1):	>5 @ 101 kPa	Odor:	Lime
pH @ 100%:	7.0	State:	Liquid
Volatiles % (volume):	N/A	Viscosity:	1
Water solubility:	Completely Soluble		



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

SECTION X. STABILITY AND REACTIVITY

Stability:	Stable.
Conditions to avoid:	Extremes of temperature. Open flame, ignition sources.
Incompatibilities:	Strong oxidizing agents.
Fire decomposition:	Not expected during normal storage.

SECTION XI. TOXICOLOGICAL INFORMATION

Accute eye contact:	Causes irritation.
Accute and chronicl skin contact:	Minimally toxic. Negligible hazard at ambient/normal handling.
Accute and chronicl inhalation:	Minimally toxic. Negligible hazard at ambient/normal handling.
Accute and chronicl ingestion:	May cause mild irritation. No data regarding chronicl ingestion.
Special remarks:	May cause damage to the kidneys. Very low toxicity risk for normal handling or normal conditions. May cause skin irritation, eye irritation but not injury. If ingested in very large quantities it can cause gastrointestinal tract irritation, dehydration, nauseas, vomiting or diarrhea.

SECTION XII. ENVIRONMENTAL INFORMATION

Comments:	Eco toxicological data has not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual components.
Acute toxicity	



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

Mobility	Highly soluble in water. May cause long term adverse effects in the aquatic environment.
Persistency/degradability	Liquid under most environmental conditions. Partially volatile, will partition to air.
Biodegradability	Expected to be inherently biodegradable, but the product contains components that may persist in the environment.
Other adverse effects	Long term degradation possible. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.

SECTION XIII. DISPOSAL INFORMATION

Disposal:	Cardboard and plastic are recyclable. Material used to contain large spills should be disposed in accordance with local laws and regulations. Do not dispose into environment, in drains or in water courses.
------------------	---

SECTION XIV. TRANSPORT INFORMATION

Transportation:	Proper shipping name: not regulated by dot. Hazard technical name, Hazard class, UN/NA Number, Packing group: NA EPA SARA Title III Chemical Listings: Section 302 Extremely Hazardous Substances: None Section 304 CERCLA Hazardous Substances: None Section 312 Hazard Class: Acute: No, Chronic: No, Fire: No, Pressure: No, Reactive: No Section 313 Toxic Chemicals: Butyl Glycol (111-76-2) <=3%. Supplemental State Compliance Information: New Jersey: Butyl Glycol (111-76-2) <=3% Pennsylvania: Butyl Glycol (111-76-2) <=3% California Prop 65: none TSCA Registered: All components of this product are registered in the TSCA inventory
------------------------	---



Sicamu, Inc.
1066 Strong Road
Quincy, FL, 32351
850-2706283

SECTION XV. REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other products specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency of your state.

SECTION XVI. OTHER INFORMATION

Distributed by: Authorized dealers.

Written by: Antonio Pons, Technical Director, VP of Operations

Date: October 22, 2015

Guarantee waiver:

This information is accurate and reliable to the best knowledge of Sicamu Inc. No representation, warranty or guarantees are made to its accuracy, reliability or completeness. All users are encouraged to review this MSDS in the context of how to use and handle this product. Users are responsible for any interpretation and/or use of this information and of this product.

If clarification or further information is required, the user is responsible for contacting Sicamu Inc. to receive any additional information that he may require.

Our responsibility for products sold is subject to our standard terms and conditions. A copy of which is available on request.